

Model	Voltage	Capacity	Weight	Terminal	Dimension (L*W*H)(TH)	Internal Resistance
	(V)	(Ah)	(Kg)		(mm)	(mΩ)
DG6-100	6	100	16.5	F14	194*170*205 (212)	5
DG6-150	6	150	23.5	F12	260*180*245 (252)	4.5
DG6-180	6	180	26.5	F12	306*168*220 (227)	5
DG6-200	6	200	29.0	F14/F16	322*177.5*226 (231)	4
DG6-225	6	225	32.0	F14/F16	322*177.5*226 (231)	4
DG6-310	6	310	44.5	F14	295*178*346 (364)	2.1
DG6-280	6	280	41.7	F14	295*178*346 (364)	3
DG6-335	6	335	45.5	F14	295*178*346 (364)	2
DG12-33	12	33	10.2	F7/F11	195*130*155 (168)	9.5
DG12-40	12	40	13.2	F4/F11	198*166*169 (169)	9
DG12-55	12	55	17.0	F11/F15	229*138*211 (216)	8.6
DG12-60	12	60	20.5	F11/F15	260*169*211 (218)	8.5
DG12-65	12	65	21.0	F5/F11	350*167*182 (182)	8
DG12-70	12	70	22.5	F5/F11	350*167*182 (182)	8
DG12-75	12	75	23.5	F11/F15	260*169*211 (218)	7
DG12-80	12	80	25.0	F11/F15	260*169*211 (218)	7
DG12-85	12	85	26.0	F11/F15	306.5*168.5*210 (215)	6
DG12-90	12	90	28.5	F12/F15	306.5*168.5*210 (231)	6.5
DG12-100	12	100	30.0	F5/F12	328*172*215 (220)	7.5
DG12-120	12	120	35.5	F5/F12	407*177*225 (225)	5.5

DG12-134	12	134	41. 5	F5/F12	340*173*280 (287)	5
DG12-145	12	145	44. 0	F5/F12	340*173*280 (287)	5
DG12-160	12	160	50. 0	F12/F16	532*207*214 (219)	6
DG12-180	12	180	53. 0	F12/F16	532*207*214 (219)	5. 5
DG12-200	12	200	60. 0	F10	522*240*219 (224)	5. 2
DG12-225	12	225	65. 0	F10	522*240*219 (224)	4. 8
DG12-230	12	230	67. 0	F12	521*269*204 (209)	6
DG12-260	12	260	74. 0	F14	520*268*220 (225)	5
FT12-55G	12	55	18. 0	F11	291*106*230 (230)	9
FT12-90G	12	90	26. 5	F6	563*114*188 (188)	8. 7
FT12-105G	12	105	32. 5	F8/F17	508*111*236 (236)	7. 5
FT12-110G	12	110	33. 0	F9	410*109*285 (294)	7. 2
FT12-150G	12	150	43. 5	F9	565*110*288 (297)	6
FT12-160G	12	160	47. 0	F9	565*110*288 (297)	6
FT12-180G	12	180	52. 0	F19	560*125*316 (316)	5
DG2-200	2	200	14. 0	F10	172. 5*110*328 (351)	0. 8
DG2-250	2	250	17. 5	F10	171*150*330 (353)	1. 17
DG2-350	2	350	24. 5	F10	211*176*32930 (353)	0. 8
DG2-400	2	400	26. 0	F10	211*176*330 (353)	1
DG2-450	2	450	29. 0	F10	211*176*330 (353)	1
DG2-500	2	500	30. 5	F10	242*172*330 (353)	1

DG2-600	2	600	37.0	F10	302*175*330(353)	0.63
DG2-650	2	650	40.0	F10	302*175*330(353)	0.63
DG2-750	2	750	46.0	F10	409*175*330(353)	0.6
DG2-800	2	800	50.0	F10	409*175*330(353)	0.6
DG2-1000	2	1000	62.0	F10	475*174*328(351)	0.6
DG2-1200	2	1200	74.0	F10	475*174*328(351)	0.81
DG2-1500	2	1500	96.0	F10	401*350*341(364)	0.75
DG2-2000	2	2000	126.5	F10	490*350*341(364)	0.4
DG2-2500	2	2500	171.0	F10	710*353*341(364)	0.3
DG2-3000	2	3000	193.0	F10	710*353*341(364)	0.3