

Model	Voltage	Capacity	Weight	Terminal	Dimension (L*W*H)(TH)	Internal Resistance
	(V)	(Ah)	(Kg)		(mm)	(mΩ)
ELC6-180	6	180	26.5	F12	306*168*220 (227)	3
ELC6-200	6	200	29.0	F14/F16	322*177.5*226 (231)	1.8
ELC6-225	6	225	31.0	F14/F16	322*177.5*226 (231)	1.5
ELC6-225S	6	225	32.0	F14	243*187*275 (275)	1.7
ELC12-26	12	26	8.1	F3/F13	166*178*125 (125)	11.5
ELC12-26S	12	26	8.3	F7/F11	165*125*174 (174)	11.5
ELC12-28S	12	28	8.8	F7/F11	165*125*174 (174)	9
ELC12-40	12	40	13.0	F4/F11	198*166*169 (169)	8
ELC12-50	12	50	15.5	F15	250*160*178 (183)	7
ELC12-55	12	55	18.0	F11/F15	229*138*211 (216)	6
ELC12-65	12	65	21.0	F5/F11	350*167*182 (182)	6
ELC12-75	12	75	23.5	F11/F15	260*169*211 (218)	5.8
ELC12-80	12	80	24.0	F5/F11	350*167*182 (182)	5.5
ELC12-80S	12	80	26.0	F11	260*169*211 (218)	5.5
ELC12-90	12	90	28.5	F12/F15	306.5*168.5*210 (215)	5.2
ELC12-100	12	100	30.0	F5/F12	328*172*215 (220)	5
ELC12-100 S	12	100	29.0	F12/F15	306.5*168.5*210 (215)	4.8
ELC12-120	12	120	35.0	F5/F12	407*177*225 (225)	4
ELC12-120 S	12	120	31.5	F5/F12	328*172*215 (220)	4.2
ELC12-134	12	134	41.5	F5/F12	340*173*280 (287)	4
ELC12-145	12	145	43.0	F5/F12	340*173*280 (287)	4
ELC12-150	12	150	44.5	F5/F12	483*170*241 (241)	4.2
ELC12-160	12	160	50.0	F12/F16	532*207*214 (219)	4

ELC12-180	12	180	53.0	F12/F16	532*207*214 (219)	4
ELC12-200	12	200	60.0	F10	522*240*219 (224)	4
ELC12-225	12	225	65.0	F10	522*240*219 (224)	3.7
ELC12-230	12	230	67.0	F12	521*269*204 (209)	3
ELC12-260	12	260	74.0	F14	520*268*220 (225)	3.5
FT12-55D	12	55	18.0	F11	291*106*230 (230)	6
FT12-90D	12	90	26.5	F6	563*114*188 (188)	5.8
FT12-100D	10	100	30.0	F9	508*111*236 (236)	5.2
FT12-100A D	14	100	29.0	F9	508*111*236 (236)	5.2
FT12-100S D	12	100	31.0	F9	410*109*285 (293)	5.5
FT12-105D	12	105	32.5	F8	508*111*236 (236)	5
FT12-110D	12	110	33.0	F9	394*109*285 (285)	5
FT12-150D	12	150	43.5	F9	565*110*288 (297)	4
FT12-160D	12	160	49.0	F9	565*110*288 (297)	4
FT12-160A D	12	160	46.0	F9	565*110*288 (297)	4
FT12-180D	12	180	52.0	F9	560*125*316 (316)	4
FT12-185D	12	185	56.0	F9	560*125*316 (316)	4
FT12-185L D	12	185	60.0	F9	560*125*316 (316)	4
FT12-185L D	12	185	60.0	F9	560*125*316 (316)	4
ELC2-200	2	200	13.1	F10	172.5*110*328 (351)	0.8
ELC2-250	2	250	15.1	F10	172.5*110*328 (351)	0.76
ELC2-300	2	300	18.3	F10	171*150*330 (353)	0.75
ELC2-350	2	350	20.3	F10	171*150*330 (353)	0.7
ELC2-400	2	400	26.0	F10	211*176*330 (353)	0.7

ELC2-450	2	450	28.0	F10	211*176*330 (353)	0.67
ELC2-500	2	500	30.5	F10	242*172*330 (353)	0.62
ELC2-600	2	600	36.5	F10	304*175*330 (353)	0.63
ELC2-650	2	650	40.0	F10	302*175*330 (353)	0.6
ELC2-750	2	750	46.0	F10	409*175*330 (353)	0.6
ELC2-800	2	800	50.0	F10	409*175*330 (353)	0.6
ELC2-1000	2	1000	60.5	F10	475*174*328 (351)	0.55
ELC2-1200	2	1200	66.0	F10	475*174*328 (351)	0.54
ELC2-1500	2	1500	91.0	F10	401*350*341 (364)	0.5
ELC2-1800	2	1800	105	F10	401*350*341 (364)	0.5
ELC2-2000	2	2000	120	F10	490*350*341 (364)	0.4
ELC2-2500	2	2500	140.0	F10	490*350*341 (364)	0.33
ELC2-3000	2	3000	178	F10	710*353*341 (364)	0.3